

Technical Sheet

SIMPSON**Strong-Tie**

DSIX4

Decking Screw - Impreg®X4

The DSIX4 decking screws are designed for treated wood. The screws have a 6 lobe recess to ensure good grip. The type 17 point drives the screw efficiently and prevents wood splitting.

Features

Features

- 6-lohkoinen vetokärki
- Upotettu, uurrettu
- Karkea kierre
- Tyyppi 17 piste
- Impreg® X4-pinnoite

Applications

Suitable for

- Terassilankut puuhun.



Technical Sheet

SIMPSON

Strong-Tie

DSIX4
Decking Screw - Impreg®X4

Technical Data

Mitat ja ominaisarvot

Viite	Mitat							
	Tuotenumero	Muu	Mitat ja ominaisarvot[mm]					
		Paino[kg]	D[mm]	L[mm]	d _h [mm]	lg[mm]	tfix[mm]	Bit[mm]
DSIX44.2X35T-20	74361	0.002	4.2	35	7.3	20	15	T-20
DSIX44.2X45T-20	74362	0.003	4.2	45	7.3	23.5	21.5	T-20
DSIX44.2X55T-20	74363	0.003	4.2	55	7.3	27.5	27.5	T-20
DSIX44.2X55T-20 Bulk	74364	0.003	4.2	55	7.3	27.5	27.5	T-20
DSIX44.2X75T-20	74365	0.004	4.2	75	7.3	40.5	34.5	T-20
DSIX44.2X75T-20 Bulk	74366	0.004	4.2	75	7.3	40.5	34.5	T-20



Yhdistetty ruuvit

Viite	Mitat						
	Tuotenumero	Mitat ja ominaisarvot[mm]					
		D[mm]	L[mm]	d _h [mm]	lg[mm]	tfix[mm]	Bit[mm]
DSIX44.2X45PH2	74294	4.2	45	7.3	23.5	21.5	PH2
DSIX44.2X55PH2	74354	4.2	55	7.3	27.5	27.5	PH2
DSIX44.2X75PH2	74355	4.2	75	7.3	40.5	34.5	PH2

Tuotteen ominaisuudet

Viite	Screw Parameters			
	Tyypillinen vääntölujuus - f _{tor,k} [Nm]			
	Taivutuslujuus - M _{y,k} [Nm]	Tyypillinen vetoparametri - f _{ax,k,90°} [N/mm ²]	Tyypillinen läpivetoparametri - f _{head,k} [N/mm ²]	Tyypillinen vetolujuus - f _{tens,k} [kN]
DSIX44.2X35T-20	4295	13.9	14.4	6
DSIX44.2X45T-20	4295	13.9	14.4	6
DSIX44.2X55T-20	4295	13.9	14.4	6
DSIX44.2X55T-20 Bulk	4295	13.9	14.4	6
DSIX44.2X75T-20	4749	22.9	17.1	6
DSIX44.2X75T-20 Bulk	4749	22.9	17.1	6
DSIX44.2X45PH2	4295	13.9	14.4	6
DSIX44.2X55PH2	4295	13.9	14.4	6
DSIX44.2X75PH2	4749	22.9	17.1	6

Technical Sheet

DSIX4
Decking Screw - Impreg®X4

SIMPSON

Strong-Tie

Simpson Strong-Tie / Gbo Fastening Systems
AB
Bruksvägen 2, 593 75 Gunnebo
tel: 0490-300 00
fax : 0490-233 00

Copyright by Simpson Strong-Tie®

Tämän materiaalin tiedot ovat yksinomaan Simpson Strong-Tie:n © omaisuutta
Tiedot ovat voimassa ja käytettävissä ainoastaan Simpson Strong-Tie:n © tuotteita
käytettäessä.

DSIX4
**Decking Screw -
Impreg®X4**



www.strongtie.fi

SIMPSON

Strong-Tie

2026-10-
30