

## Technical Sheet

QDPROPHG2

**Quik Drive -kiinnike ohuelle teräkselle**

**SIMPSON**

**Strong-Tie®**

## Technical Sheet

**SIMPSON**

**Strong-Tie**

QDPROPHG2

**Quik Drive -kiinnike ohuelle teräkselle**

The QDPROPHG2 is designed to be used in conjunction with FPHSD screws and PHSD screws 19mm long. This Quik Drive attachment is suitable for light gauge steel applications.

### Features

#### Material

- Manufactured containing PTFE
- No lubrication required

#### Benefits

- Connects easily with screw gun adapter or extension
- Possible 360° rotation of attachment on adapter or extension
- Self-lubricating material for long life and smooth operation
- Self-locking depth adjustment to prevent damage to steel

#### Setti sisältää

**QDPROPHG2 Quik Drive -kiinnitin, mandreeli, ruuvikärjet ja kotelo.**

### Applications

#### Common Applications

- Ohut teräs
- Teräsrungot



QDPROPHG2

**Quik Drive -kiinnike ohuelle teräkselle**

Simpson Strong-Tie / Gbo Fastening  
Systems AB  
Bruksvägen 2, 593 75 Gunnebo  
tel: 0490-300 00  
fax : 0490-233 00

Copyright by Simpson Strong-Tie®

Tämän materiaalin tiedot ovat yksinomaan Simpson Strong-Tie:n © omaisuutta  
Tiedot ovat voimassa ja käytettävissä ainoastaan Simpson Strong-Tie:n © tuotteita  
käytettäessä.

QDPROPHG2

**Quik Drive -kiinnike ohuelle  
teräkselle**[www.strongtie.fi](http://www.strongtie.fi)